

Temp/t
Sheet 1 of




Fig. 1

TempIt
Sheet 2 of





Fig. 2

Tempt
Sheet 3 of



160

Instruction Data

Instruction Data

- In response to first UI, produce template with field and source item of data indicating whether necessary to obtain information through second UI to complete field;
- Receive request from client machine for performance of server action using template;
- Perform server action using template:
 - Determine from source item whether information necessary;
 - If not, perform server action without obtaining information through second UI to complete field;
 - If so obtain information from client machine through second UI to complete field

150




Fig. 3

Temp/It

Sheet 4 of




Fig. 4

Temp1t
Sheet 5 of




FIG. 5

Tempt
Sheet 6 of




Fig. 6

Tempt

Sheet 7 of




Fig. 7

Tempt
Sheet 8 of




FIG. 8

Temp/t

Sheet 9 of




Fig. 9

Tempt1

Sheet 10 of




FIG. 10

Tempt

Sheet 11 of

From Box 314




Fig. 11

TempIt

Sheet 12 of

From Box 542




Fig. 12

Tempt
Sheet 13 of

From Box 542




Fig. 13

Templt

Sheet 14 of

From Box 546




Fig. 14

TempIt
Sheet 15 of

From Box 546




Fig. 15

Templt
Sheet 16 of




Fig. 16

FIG. 17

